The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

Onon

Service Parts Manual

RCCK Engine

GENERAL INFORMATION


INSTRUCTIONS FOR ORDERING REPAIR PARTS

For parts or service, contact the dealer from whom you purchased this equipment or refer to your Nearest Authorized Onan Parts and Service Center.

To avoid errors or delay in filling your parts order, please furnish all information requested.

Always refer to the nameplate on your unit.

1. Always give the MODEL, SPEC NO. and SERIAL NO.



- 2. Do not order by reference number; always use part number and description.
- 3. Give the part number, description and quantity needed of each item. If an older part cannot be identified, return the part prepaid to your dealer or nearest Onan Parts and Service Center. Print your name and address plainly on the package. Write a letter to the same address stating the reason for returning the part.
- 4. State definite shipping instructions. Any claim for loss or damage to your unit in transit should be filed promptly against the transportation company making the delivery. Shipments are complete unless the packing list indicates items are back ordered.

Prices are purposely omitted from this Parts Manual due to the confusion resulting from fluctuating costs, import duties, sales taxes, exchange rates, etc.

For current parts prices, consult your Onan Dealer, Distributor or Parts and Service Center.


"En esta lista de partes los precios se omiten de proposito, ya que bastante confusion resulto de fluctuaciones de los precios, derechos aduanales, impuestos de venta, cambios extrajeros, etc."

Consiga los precios vigentes de su distribuidor de productos "ONAN."

INDEX

TITLE	PAGE
INTRODUCTION	
STANDARD PARTS SECTION	
Block, Cylinder ,	
Camshaft	A6
Carburetor Parts	
Cooling System	B1
Crankshaft and Flywheel	
Fuel Pump, Parts (Mechanical)	
Fuei Syz'am	A9
Gearcase	A7
Governor	
Ignition System	
Oil System	 8
Piston and Rod	
Service Kits and Miscellaneous	
Starter	## ·
Starter Parts	
	OPTION
ASTISLE FALISHFNY SECTION	
OPTIONAL EQUIPMENT SECTION	a. M
Air Cleaner	
Air Cleaner (Remote)	6 6
Alternator, Flywheel - 15 Ampere (Phelon)	3 3
Alternator, Flywheel - 20 Ampere (Syncro)	
Box, Breaker (High Profile)	
Choke Adapter, Front Pull	
Clutch	
Control, Governor - Variable Speed (Side Pull)	
Miscellaneous Optional Parts	
Pump Parts, Fuel - Electric (149-0650)	
Pump Parts, Water (132-0110)	
Water Pump, Mounted	

CYLINDER BLOCK




CYLINDER BLOCK

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	110-2415	1	Block Assembly, Cylinder (Includes Parts Marked *)	22 23	104-0575 516-0072	2 2	*Washer, Thrust - Eearing *Pin, Dowel - Bearing Stop
2	110-2750	2	Gasket, Cylinder Head	24	516-0141	2	*Pin, Dowel - Gear Cover
3	HEAD, CYLIN	NDER	•				Alignment
	110-2347	1	Right Hand	25	123-0953	1	Tube, Breather
	110-2348	1	Left Hand	. 26	123-0865	1	Filter, Breather Tube
4	502-0153	2	Plug, Pipe (Hex Head) 1/4"	27	123-0951	1	Clamp, Breather Cap
5	VALVES			28	509-0117	1	Gasket, Breather Cap
	110-0880	2	Exhaust	29	123-0958	1	Screen, Breather Cap
	110-0881	2	Intake	30	123-0954	1	Cap, Breather
6	*INSERT, VAL	VE SEAT	- EXHAUST	31	809-0035	1	Screw, Tapping - Round Head -
	110-0872	2	Standard	_			Breather Cap Clamp
	110-0872-02	2	.002" Oversize				Mounting (#8 x 3/4")
	110-0872-05	2	.005" Oversize	32	800-0512	5	*Screw, Cap - Hex Head -
	110-0872-10	2	.010" Oversize	-		Ŭ	Rear Bearing Plate
	110-0872-25	2	.085" Oversize				Mounting (5/16-18 x 1")
7	110-0902	4	*Guide, Valve (Used When No	33	800-0012	2	Screw, Cap - Hex Head -
•		-	Seals on Valves)	•	000-0012	4.	Valve Cover Mounting (1/4-20 x 2-1/4")
8	110-0539	4	Spring, Valve Spring	34	800-0509	18	Screw, Cap - Hex Head -
9	110-0904	4	Rotocap, Valve Spring	34	000-0508	10	Cylinder Head Mounting
10	110-0639	8	Lock, Valve Stem				
11	TAPPET, VA		.	0.5	500 0400	40	(5/16-18 x 2-1/2")
	115-0006	4	Standard	35	526-0122	18	Washer, Flat - Cylinder
	115-0006-05	4	.005" Oversize				Head Mounting (11/32" ID x
12	120-0386	1	*Tube, Oil		252 2245	_	23/32" OD x .134" Thk)
13	517-0011	8	*Plug, Expansion (1-1/4")	36	850-0045	5	*Washer, Lock - Spring -
14	517-00 4 8	1	*Plug, Expansion (1-5/8")				Rear Bearing Plate
15	110-0667	2	Gasket, Valve Cover			_	Mounting (5/16")
16	110-0666	2	Cover, Valve	37	526-0063	2	Washer, Flat - Copper -
17	101-0115	1	*Gasket Kit, Rear Bearing Plate				Valve Cover Mounting (17/64" ID x 7/16" OD
18	BEARING, C	CAMSHAF		00	560.0470		x 1/32" Thk)
	101-0367	2	*Use W/Standard Camshaft	38	503-0170	1	Clamp, Breather Hose (5/8")
	101-0405	1	Use W/Hi-Lift Camshaft	39	503-0546	1	Hose, Breather
19	101-0316	1	*Plate, Rear Bearing (Less	40	110-3136	2	*Gasket, Intake Valve Guide
			Bearings)	40		4	•
20	509-0041	1	Seal, Oil - Rear Bearing Plate	41	110-1827	4	Guide, Valve (Used When
20	309-0041	•	(NOTE: Also available	40	404 0770	4	Valves Have Seals)
			in Kit #168-0132)	42	104-0776	1	Shim, Crankshaft Thrust Bearing (.005)
21			AFT (Includes Thrust Washer)	43	503-0171	1	Clamp, Hose (11/16")
	101-0450	2	Standard	44	509-0090	2	Seal, Oil - Intake Valve (Includes
	101-0450-02	2	.002" Undersize				Retainer Rings)
	101-0450-10	2	.010" Undersize				•
	101-0450-20	2	.020" Undersize	* - Pa	irts included	in Cylinde	r Block Assembly.
	101-0450-30	2	.030" Undersize			-	


¥ - 5

CRANKSHAFT



^{* -} Parts Included in 104-1316 Crankshaft Kit.

CAMSHAFT




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	150-0078	1	Ring, Camshaft Center Pin	7	105-0541	1	Washer, Camshaft Gear
2	150-1695	1	Kit, Governor Cup (Includes	•			Thrust (Special)
			Parts Marked*)	8	515-0001	1	Key, Camshaft Gear Mounting
3	510-0015	5	Ball, Fly - Governor	9	105-0238	1	Camshaft (Includes Center Pin)
4	150-1257	1	Spacer, Governor Fly Ball	10	150-0075	1	Pin, Camshaft Center
5	150-0077	1	Plate, Governor Fly Ball	11	150-1519	1	*Hub, Governor Cup
6	105-0332	1	Gear, Camshaft (Includes Flyball Spacer & Plate)	12	150-1520	1	*Cup, Governor

^{* -} Parts Included in 150-1695 Governor Cup Kit.

GEARCASE


REF. NO.		QTY. USED	PART DESCRIPTION
1	103-0524	1	Gearcase Assembly, Complete (includes Parts Marked *)
2	509-0040	1	*Seal, Oil
3	510-0014	1	*Bearing, Ball
4	510-0013	2	*Bearing, Needle
5	509-0008	1	*Seal, Oil
6	516-0130	1	*Pin, Roll - Governor Stop
7	150-1187	1	*Yoke, Governor
8	150-1541	1	*Arm and Shaft, Governor
9	815-0046	2	*Screw, Machine - Pan Head - Governor Yoke Mounting (#8-32 x 3/8")
10	103-0011	1	Gasket, Gearcase Mounting
11	SCREW, CAP		HEAD - GEARCASE
	800-0034	Î	5/16-18 x 2-1/4"
	800-0032	4	5/16-18 x 1-1/2"
12	850-0045	5	Washer, Lock - Spring - Gearcase Mounting (5/16")
13	815-0261	1	Screw, Cap - Hex Head (1/4-20 x 1/2")






PISTON AND ROD

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	PISTON AND	PIN (Incli	udes Retaining Rings)
	112-0179	2	Standard
	112-0179-05	2	.005" Oversize
	112-0179-10	2 2	.010" Oversize
	1 12-0179-20	2 2 2	.020" Oversize
	112-0179-30	2	.030" Oversize
	112-0179-40	2	.040" Oversize
2	112-0003	4	Ring, Retaining
	112-0069	2	Pin, Piston
4	114-0203	2	Rod, Connecting
5	805-0010	4	Bolt, Place - Connecting Rod
6	RING SET. PI	STON	
	113-0153	2	Standard
	113-0153-05	2	.005" Oversize
	113-0153-10	2	.010" Oversize
	113-0153-20	2	.020" Oversize
	113-0153-30	2	.030" Oversize
	113-0153-40	2	.040" Oversize
7	BEARING, CO	DNNECT	ING ROD
	114-0188	4	Standard
	114-0188-02	4	.002" Undersize
	114-0188-10	4	.010" Undersize
	114-0188-20	4	.020" Undersize
	114-0188-30	4	.030" Undersize
8	114-0036	2	Bushing, Piston Pin
•			(Connecting Rod)




OIL SYSTEM



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
110;	102-0861	1	Base, Oil	15	526-0066	1	Washer, Flat - Oil By-Pass
	102-0001	i	Gasket, Oil Base				(25/64" ID x 9/16" OD
2		À	Screw, Cap - Hex Head -				x 1/16" Thk)
3	102-0455	••	Oil Base Mounting	16	120-0491	1	Pump, Oil
		5	(Special)	17	800-0007	2	Screw, Cap - Hex Head - Oil Pump Mounting
4	850-0050	4	Washer, Lock - Spring - Oil				(1/4-20 x 1")
•			Base Mounting (3/8")	18	850-0040	2	Washer, Lock - Spring - Oil
5	505-0056	1	Plug, Oil Drain		000 00.0	_	Pump Mounting (1/4")
6	141-0078	1	Gasket, Oil Fill Tube	19	120-0161	1	Gasket Kit, Oil Pump
7	123-0674	. 1	Tube, Oil Fill	20	122-0320	1	Adapter, Oil Filter
8	123-0694	1	Cap and Indicator - Oil Fill	21	122-0321	i	Gasket, Oil Filter Adapter
9	800-0004	2	Screw, Cap - Hex Head -	22	122-0323	i	Filter, Oil - Spin On
9	000-000-	-	Oil Fill Tube Mounting	23	505-0057	•	Plug, Oil Filter Adapter
			(1/4-20 x 5/8")		800-0028	2	Screw, Cap - Hisx Head -
10	850-0040	2	Washer, Lock - Spring - Oil Fill Tube Mounting (1/4")	24	800-0026	2	Oil Filter Adapter Mounting (5/16-18 x 1")
11	120-0648	1	Cup, Oil Pump Intake (Includes Cup, Screen & Pipe)	25	526-0065	2	Washer, Flat (Copper) - Oil Filter Adapter Mounting
12	120-0398	1	Valve, Oil By-Pass				(21/64" ID x 9/16" OD
13	120-0140	1	Spring, Oil By-Pass				x 1/16" Thk)
14	801-0048	1	Screw, Cap - Hex Head - Oil By-Pass (3/8-24 x 3/4")	26	123-0191	1	Gasket, Oil Fill Cap


FUEL SYSTEM



REF. NO.	PART NO.	QTY. USED	FART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	154-180/0	1	Manifold, Intake	15	301-3230	1	Bracket, Terminal Block
2	154-0013	2	Gasket, intake Manifold				Mounting
3	800-0057	2	Screw, Cap - Hex Head -	16	332-0604	1	Block, Terminal
			Intake Manifold Mounting	17	332-1273	1	Strip, Terminal Block Marker
			(3/8-16 x 2-3/4")	18	812-0082	2	Screw, Machine - Round Head -
4	850-0050	2	Washer, Lock - Spring - Intake Manifold Mounting				Terminal Block Mounting (#8-32 x 3/4")
			(3/8")	19	850-0025	2	Washer, Lock - Spring -
5	141-0878	1	Carburetor (includes Mounting Gasket) (See Separate Group				Terminal Block Mounting (#8)
			for Components)	20	860-0008	2	Nut, Hex - Terminal Block
6	141-0281	1	Gasket, Carburetor Mounting				Mounting (#8-32)
7	520-0526	2	Stud, Carburetor Mounting	21	338-0619	1	Harness, Wiring
			(5/16-24 x 1-1/4")	22	821-0005	2	Screw, Cap - Locking Head -
8	354-0017	2	Washer, Lock (Internal Shakeproof) - Carburetor				Terminal Bracket Mounting (#10-32 x 1/2")
			Mounting (5/16")	23	149-1784	1	Pump, Fuel (Includes Mounting
8	868-0002	2	Nut, Hex - Carburetor Mounting (5/16-24")				Gasket) (See Separate Group for Components)
10	502-0313	1	Elbow, Hose - Fuel Inlet	24	149-0003	2	Gasket, Fuel Pump Mounting
11	140-0867	1	Adapter, Air Cleaner (Front)	25	149-0045	As Req.	
12	140-0921	1	Gasket, Air Cleaner Adapter	26	806-0009	2	Screw, Cap - Counter Bore -
13	815-0135	2	Screw, Machine - Round Head - Air Cleaner Adapter		•		Fuel Pump Mounting (1/4-20 x 1-1/10")
			Mounting (#10-32 x 5/8")	27	502-0313	2	Elbow (1-inlet — 1-Outlet)
14	850-0030	2	Washer, Lock - Spring - Air	28	503-0669	1	Hose, Fuel (1/4" \D x 3-7/16")
			Cleaner Adapter Mounting (#10)	29	503-0301	2	Clamp, Fuel Hose

GOVERNOR

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	150-1418	1	Stud, Governor
2	150-1214	1	Spring, Governor
3	870-0131	1	Nut, Hex - Governor Adjusting Stud (W/ET 10-32")
4	150-0639	2	*Joint Ball
5	520-0187	1	*Stud, Governor Linkage
6	870-0053	2	*Nut, Hex (10-32")
7	870-0131	1	*Nut, Hex - Ball Joint (W/ET 10-32")
8	523-0196	1	Washer, Flat - Ball Joint to Carburetor (7/32" ID x 7/16' OD x 1/8" Thk)
9	150-1433	1	Bracket, Governor Adjusting - Fixed
10	800-0004	2	Screw, Cap - Hex Head - Governor Adjusting Bracket Mounting (1/4-20 x 5/8")
11	850-0040	2	Washer, Lock - Spring - Governor Adjusting Bracket Mounting (1/4")
12	862-0001	2	Nut, Hex - Governor Adjusting Bracket Mounting (1/4-20)
13	150-1690	1	Bracket, Governor Mounting
14	850-0045	2	Washer, Lock - Spring - Governor Bracket Mounting (5/16")
15	862-0015	2	Nut, Hex - Governor Bracket Mounting (5/16-18)
16	150-1363	1	Linkage Assembly, Governor (Includes Parts Marked *)




^{* -} Parts Included in 150-1363 Linkage Assembly.


FUEL PUMP PARTS

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	149-1784	1	Pump, Fuel
	149-0526	1	Repair Parts Kit, (Includes Parts Marked *)
1		1	Body, Not Sold Separately
2	815-0148	4	Screw, Hex Head - Slotted (8-32 x 7/8")
3	815-0147	2	Screw, Phillips, Valve Retainer (6-32 x 5/8")
4	149-0096	2	*Valve and Cage
5	149-0095	2	*Gasket, Valve
6	149-0582	1	*Diaphragm Assembly
7	149-0672	1	*Spring
8	149-0539	1	Retainer, Valve Cage
9	149-0675	1	*Spring
10	516-0113	1	Pin, Rocker Arm
11		1	Body, Not Sold Separately
12	149-0710	1	Link and Arm, Rocker, (Only as a Set)
14	149-0551	1	Lever, Primer
15	509-0065	2	Seal, "O" Ring
16	149-0404	1	Spring, Primer Lever
17	149-0003	1	*Gasket, Pump Mounting
18	518-0129	1	Ring, Retainer, Primer Lever
19	149-0858	1 1	t*Gasket, Diaphragm - Lower Sid

- * Parts Included in 149-0526 Repair Kit.
- \dagger Used on some models to prevent air lock of fuel pump




CARBURETOR



REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
	141-0879	1	Carburetor (Manual Choke)
	141-0747	1	Kit, Repair (Includes Parts Marked *)
	141-0748	1	Kit, Gasket (Includes Parts Marked £)
1	141-0281	1	£*Gasket, Carburetor Flange
2	141-0708	1	Bowl, Fuel
3	141-0741	1	Plate, Choke
4	141-0698	4	Screw and Washer, Choke and Throttle Plate Mounting (Special)
5	141-0706	1	Plate, Throttle
6	141-0705	1	*Retainer, Seal
7	141-0861	1	£*Seal, Rubber
8	141-0830	1	*Valve Seat Assembly, Fuel
9	141-0811	1	£Washer, Fuel Valve Seat (Special)
10	141-0703	1	*Shaft, Float
11	141-0702	1	Float Assembly
12	141-0701	1	£*Gasket, Bowl to Body
13	141-0700	1	Screw, Throttle Stop (Special)
14	141-0711	1	Spring, Throttle Stop
15	141-0713	1	Needle, Idle Adjusting
16	141-0710	1	Spring, Idle Needle
17	141-0077	1	£*Washer, Main Jet Assembly (Special)
18	141-0712	1	Jet Assembly, Main (Adjustable)
19	141-0742	1	Shaft, Choke
20	141-0699	1	Washer (Special)
21	141-0697	1	£*Seal, Felt
22	141-0203	1	*Retainer, Felt Seal
23	141-0709	1	Shaft and Lever, Throttle
24	141-0799	1	*Spring, Float

- * Parts Included in 141-0747 Repair Kit. £ Parts Included in 141-0748 Gasket Kit.

IGNITION SYSTEM




IGNITION SYSTEM

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	160-0257	1	Box, Breaker (Includes Parts Marked *)
2	160-0930	1	*Cover, Breaker Box
3	160-0150	1	*Gasket, Breaker Box Cover
4	160-0075	1	*Cam, Point Gap Adjusting
5	160-0002	1	Point Set, Breaker
6	312-0069	1	*Condenser, Breaker Points
8	160-0262	1	*Guide & Plunger
10	160-0428	1	*Strap - Point Set to Terminal Block
11	160-0349	1	*Block and Terminal Assembly, Insulator Terminal
12	812-0077	.2	"Scraw, Machine - Round Head - (8-32 x 3/8")
13	802-0034	3	"Screw, Cap - Socket Head - Breaker Box Mounting (1/4-20 x 3/4")
14	850-0040	2	"Washer, Lock - Spring - Breaker Box Mounting (1/4")
15	518-0049	3	*Screw, Machine - Round Head - Breaker Point Mounting & Condenser Mounting
40	400 0040		(8-32 x 1/4")
16	160-0043	, 1	Gasket, Breaker Box Mounting
17	PLUG, SPARK		Non Besistes Time
	167-0241	2	Non-Resistor Type
10	167-0237	2	Resistor Type Bracket, Ignition Coil Mounting
18 19	166-0637 503-0365	2	
20	166-0535	1	Clamp, Coil
		•	Coil, ignition (Includes Parts Marked &)
21	CABLE, SPAR		
	167-1596	1	Right Hand (15")
	167-1595	1	Left Hand (17")
			Parts Marked +)
22	166-0702	1	Coil to Terminal Block
23	166-0702	1	Coil to Breaker Box
24	821-0010	2	Screw, Cap - HWH (1/4-20 x 1/2")
25	166-0504	2	&Nut, Coll - Spark Plug Cable
26	166-0554		+&Nut, Hex (Special)
27	850-2005	2	+&Washer - Lock (Special)
28	191-1052	1	Starter (See Separate Illustration for Complete Breakdown and Associated Parts)
29	800-0051	2	Screw, Cap - Hex Head (3/8-16 x 1-1/4")
30	850-0050	2	Washer, Lock - Spring (3/8")

- * Parts included in 160-0257 Breaker Box Assembly. & Parts Included in 166-0535 Ignition Coll.
- + Parts included in Replacement Kit 166-0702.

STARTER




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	191-1052	1	Motor, Starter - 12 Volt	13	191-1087	1	*Clutch Assembly
•			Solenoid Shift (Includes Parts	14	191-1088	1	*Armature
			Marked*}	15	191-0997	1	*Washer Set
2	850-0050	2	Washer, Lock - Spring (3/8")	16	191-1005	2	*Brush, Positive
3	800-0050	2	Screw, Cap - Hex Head (3/8-16 x 1")	17	191-1006	1	†*Holder Assembly, Brush (Includes Parts Marked △)
4	191-1076	1	Seal, Air	18	191-1089	1	*Yoke Assembly (Includes
5	191-0987	1 2	*Switch Assembly *Bolt, Through				Frame, Pole Shoes, Field Coil and Positive Brushes)
6	191-0988	2	*Bracket Assembly, Front	19	191-0963	1	*Lever Assembly
,	191-1088	•	(Includes Bearing)	20	191-0984	i i	*Spring Set
8	191-0971	1	*Bearing, Front Bracket	21	191-1010	1	*Bearing, Rear Bracket
9)	191-0991	1	*Stopper Set, Pinion			_	Assembly
10	191-1007	3 †*	∆Spring, Brush	22	191-1011	1	*Screw Set
11	191-1008	1 †*	∆Brush, Negative				
12	101-1000	1	*Bracket Assembly Rear	* - Pi	arts included	in 191-10	52 Starter Motor.

(Includes Bearing)

Parts Included in 191-1052 Starter Motor.
 △ - Parts Included in 191-1006 Brush Holder Assembly.
 † - Early brush holder was equipped with two (2) negative brushes and four (4) brush springs. Completely interchangeable with current brush holder. When replacing negative brushes on early models only one (1) required, however two (2) may be used.

COOLING SYSTEM



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	503-0757	1	Hose, By-Pass (1/4" ID x 25-1/2")	13	502-0057	1	Tee, Male Branch Type (Left Hand Cylinder Head)
2	505-0135 503-0697	1	Nipple, Half (3/8") Hose, Inlet (Crossover)	14	502-0395	1	Connector, Hose (Left Hand Cylinder Head)
3	202-0091	•	(1/2" ID x 12")	15	309-0289	2	Thermostat
6	502-0446	1 .	Tee (1/2")	16	309-0186	2	Gasket, Thermostat Housing Mounting
7	502-0238	1	Connector, Hose	17	309-0185	2	Housing, Thermostat
8	502-0237	1	Elbow, Hose Connector (Brass)	18	800-0007	4	Screw, Cap - Hex Head (1/4-20 x 1")
9	503-0547	2	Clamp, Hose	40	850-0040	4	Washer, Lock - Spring -
10	502-0153	2	Plug, Hex Head	19	650-0040	4	Thermostat Housing Mounting
11	502-0313	2	Elbow, Hose (Right Hand Cylinder Head)	,			(1/4")
12	518-0349	2	Clamp, Cylinder Head By Pass Hose	20	502-0237	2	Elbow, Hose Connector (Brass)

SERVICE KITS AND MISCELLANEOUS

PART NO.	QTY. USED	PART DESCRIPTION
98-1807	1	Decal Kit, Set
160-0836	1	Ignition Tune Up Kit
168-0132	1	Gasket Kit, Complete Engine
522-0284	1	Engine Overhaul Kit
525-0305	1	Paint, Touch Up (Pressurized 13 oz. Can) Non-Metallic Green


OPTIONAL EQUIPMENT SECTION


This section contains illustrated parts listing of factory installed options for these industrial engines. Options may not be applicable to all models; for field conversions additional parts are usually required. Optional parts listed in this section are in addition or in place of those shown in the standard engine parts section.

OPTION 1 BREAKER BOX (HIGH PROFILE)


REF.	PART NO.	QTY. USED	PART DESCRIPTION
NO.			
	160-1135	1	Box Assembly (Includes Mounting Gasket) (Includes Parts Marked *)
1	160-0931	1	*Guide, Plunger
2	160-0002	1	*Point Set
3	160-0349	1	*Terminal and Block Assembly
4	160-0075	1	*Cam, Point Adjusting
5	160-0428	1	*Strap, Point Set to Terminal
6	160-0150	1	*Gasket, Cover
7	160-0930	1	*Cover, Breaker Box
8	850-0025	2	*Washer, Lock - Spring (#8)
9	812-0077	2	*Screw, Machine - Round Head (#8-32 x 3/8")
10	312-0069	1	*Condenser (.3 Mfd)
11	802-0035	2	*Screw, Socket Head (1/4-20 x 7/8")
12	850-0040	2	*Washer, Lock - Spring (1/4")
13	526-0214	2	*Washer, Flat (17/64" ID x 1/2" OD x 1/16" Thk)
14	160-1041	1	*Bushing, Guide
15	160-1040	1	*Gasket, Mounting
16	160-0723	1	*Plunger, Breaker
17	160-0261	1	*Wick
18	815-0285	3	*Screw, Machine - Round Head W/ET Washer (#8-32 x 5/16")







OPTION 2 FLYWHEEL ALTERNATOR - 20 AMPERE (SYNCRO)




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	104-0955	1	Flywheel (Includes Ring Gear)
2	134-0673	1	Gear, Ring
3	813-0108	3	Screw, Machine - Round Head - Stator Mounting (#10-32 x 1-1/2")
4	850-0030	3	Washer, Lock - Spring - Stator Mounting (#10)
5	191-1107	1	Bracket, Regulator/Rectifier Mounting
6	821-0010	2	Screw, Cap - Hex Head Self Locking - Regulator/Rectifier (1/4-20 x 1/2")
7	191-0938	1	Rectifier, Current
8	815-0181	4	Screw, Self Tapping - Hex Head Self Locking Rectifier Mounting (#10-32 x 5/16")
9	191-0939	1	Regulator, Voltage
10	191-0937	1	Stator, Alternator (12 Volt)
11	323-0879	1	Cap, Connector (2 Male Contacts)
12	323-0880	1	Plug, Connector (2 Female Contacts)
13	323-0881	1	Cap, Connector (3 Male Contacts)
14	323-0882	1	Plug, Connector (3 Female Contacts
15	323-0488	5	Contact, Connecting (Female)
16	323-0496	5	Contact, Connecting (Male)
17	336-2222	1	Lead

OPTION 3 FLYWHEEL ALTERNATOR - 15 AMPERE (PHELON)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	104-0953	1	Flywheel (Includes Ring Gear)
2	134-0673	: 1	Gear, Ring
3	191-1256	1	Stator, Alternator 12 Volt (Includes Parts Marked *)
4	813-0143	3	Screw, Machine - Round Head (#10-32 x 1-3/8")
5	850-0030	3	Washer, Lock - Spring (#10)
6	191-0886	1	Regulator, Voltage (12 Volt)
7	134-2100	2	Spacer, Regulator Mounting
8	191-1107	1	Bracket, Regulator Mounting
9	821-0012	2	Screw, Cap - HWH (1/4-20 x 1-1/8")
10	167-0188	2	Clip, Cable
11	323-0853	1	*Body, Connector
12	332-2073	2	*Terminal, Stator Lead


^{*} Parts Included in Stator.



OPTION 4 CLUTCH


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	190-0178	1	Kit, Clutch - Complete
1	190-0171	1	Adapter, Clutch to Engine
2	515-0041	1	Key, Clutch
2 3	190-0174	1	*Clutch Assembly
4	850-0055	3	Washer, Lock - Spring (7/16")
5	800-0074	1	Screw, Cap - Hex Head (7/16-14 x 1-3/4")
6	800-0075	2	Screw, Cap - Hex Head (7/16-14 x 2")
7	520-0126	1	Stud (3/8 x 3-7/8")
8	104-0091	1	Nut, Hex (Special)
9	800-0053	1	Screw, Cap - Hex Head (3/8-16 x 1-3/4")
10	800-0054	2	Screw, Cap - Hex Head (3/8-16 x 2")
11	850-0050	4	Washer, Lock - Spring (3/8")

For Components, contact your nearest Rockford Clutch dealer, Borg Warner Corporation Rockford, Illinois 61100




OPTION 5 AIR CLEANER

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	140-1304	1	Adapter, Air Cleaner
2	140-0584	1	Gasket, Air Cleaner
3	520-0621	2	Stud, Air Cleaner
4	865-0020	2	Nut - Wing (1/4-20)
5	526-0063	2	Washer, Flat - Copper (17/64" ID x 7/16" OD x 1/32" Thk)
6	140-0594	1	Cover, Air Cleaner
7	140-0636	1	Element, Air Cleaner
8	140-0595	1	Pan, Air Cleaner
9	123-0732	1	Tube, Adapter to Breather Hose
10	140-1087	1	Gasket - Adapter to Carburetor
11	813-0108	2	Screw, Machine - Round Head (10-32 x 1/2")
12	850-0030	2	Washer, Lock - Spring (#10)
13	526-0241	2	Washer, Flat (.188 ID x .438 OD x .049" Thk)




OPTION 6 REMOTE AIR CLEANER

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	140-1304	1	Adapter, Air Cleaner
2	140-0645	1	Adapter, Air Cleaner
3	800-0007	1	Screw, Cap - Hex Head (1/4-20 x 1")
4	850-0040	1	Washer, Lock - Spring (1/4")
5	800-0015	. 1	Screw, Cap - Hex Head (1/4-20 x 3")
6	526-0108	1	Washer, Flat (17/64" ID x 7/16" OD x 1/32" Thk)
7	140-0584	1	Gasket, Air Cleaner Adapter
8	813-0108	2	Screw, Machine - Round Head (#10-32 x 1-1/2")
9	850-0030	2	Washer, Lock - Spring (#10)
10	526-0241	2	Washer, Flat (.188 ID x .438 OD x .049" Thk)
11	503-0274	2	Clamp, Hose
12	503-0444	1	Hose, Air Cleaner (2" ID x 30")
13	140-0723	1	Pre-cleaner, Air Cleaner
14	140-0721	1	Cleaner, Air (Includes Element)
15	140-0765	1	Element, Only, Air Cleaner
16	140-1267	1	Baffle, Air Cleaner
17	140-0722	2	Band, Air Cleaner Mounting
18	800-0024	4	Screw, Cap - Hex Head (5/16-18 x 1/2")
19	850-0045	4	Washer, Lock - Spring (5/16")
20	882-0015	4	Nut, Hex (5/16-18)




OPTION 7 GOVERNOR CONTROL - VARIABLE SPEED (SIDE PULL)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	526-0006	1	Washer, Flat (15/64" ID x 1/2" OD x 3/64")
2	850-0040	1	V/asher, Lock - Spring (1/4")
3	862-0001	2	Nut, Hex (1/4-20)
4	152-0155	1	Swivel, Choke Lever
5	815-0104	1	Screw, Machine - Fillister Head (#8-32 x 5/16")
6	150-1269	1	Bushing, Governor Control
7	526-0214	1	Washer, Flat (17/64" ID x 1/2" OD x 1/16" Thk)
8	812-0068	1	Screw, Machine - Round Head (#6-32 x 1")
9	150-1398	1	Spring, Governor Idle
10	150-1435	1	Arm, Governor Control
11	516-0059	1	Pin, Cotter
12	150-1690	1	Bracket, Governor Mounting
13	150-1343	1	Bracket, Governor Mounting
14	800-0004	2	Screw, Cap - HWH (1/4-20 x 5/8")
15	518-0176	1	Clip, Cable




OPTION 8 FRONT PULL CHOKE ADAPTER

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	153-0464	1	Bracket, Choke Cable
2	518-0176	1	Clip, Cable
3	813-0097	2	Screw, Machine - Round Head (#10-32 x 5/16")
4	850-0030	2	Washer, Lock - Spring (#10)




OPTION 9 MOUNTED WATER PUMP



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART SECRIPTION
1	503-0737	1	Hose, Rubber (1/4" ID x 8")	15	BELT, WAT	ER PUMP	DRIVE
2	505-0135	2	Nipple, Half (3/8)		511-0102	1	Use W/512-0061 Water
3	502-0401	1	Tee, Pipe (3/8)				Pump Pulley
4	502-0075	1	Elbow, Pipe (90°)		511-0051	1	Use W/512-0067 Water
5	132-0110	1	Pump, Water (See Separate			•	Pump Pulley
	i		Illustration for Component	16	PULLEY, W	ATER PUN	
			Parts)		512-0061	1	(4" Dia.) Use W/104-0952
6	800-0026	3	Screw, Cap - Hex Head				Flywheel
			(5/16-18 x 3/4")		512-0067	1	(5" Dia.) Use W/104-0967
7	850-0045	3	Washer, Lock - Spring (5/16")				Flywheel
8	850-0040	3	Washer, Lock - Spring (1/4")	17	502-0532	1	Elbow, Street (3/8 x 45°)
9	862-0001	3	Nut, Hex (1/4-20)	18	502-0049	1	Bushing, Pipe
10	130-1131	1	Support, Water Pump	19	502-0313	1	Elbow, Hose (1/4" Hose,
11	526-0021	1	Washer, Flat (17/64" ID				1/8" NPT)
• •			x 3/4" OD x 1/16" Thk)	20	503-0183	2	Clamp, Hose Outlet 🐵 🧢
12	821-0018	1	Screw, Cap - HWH (5/16-18 x 1")	21	503-0777	. 1	Hose, Rubber (5/8" ID x 14-5/8")
13	130-1113	1	Bracket, Water Pump Mounting	22	518-0349	2	Clamp, By-Pass Hose
14	800-0006	3	Screw, Cap - Hex Head (1/4-20 x 7/8")		•	**	

OPTION 10 FUEL PUMP PARTS (ELECTRIC)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	149-0650	1	Pump, Fuel
1	149-1445	1	Filter
2	149-1447	1	Magnet
3	149-1446	1	Gasket, Cover
4	149-1453	1	Cover
5	149-1452	1	Plunger
6	149-0767	1	Spring, Plunger Return
7	149-1451	1	Spring Cup & Valve
8	149-1450	1	Gasket, Spring Cup
9	149-1449	1	Washer, Cup Gasket (Special)
10	149-1448	1	Retainer, Cup & Plunger




OPTION 11 WATER PUMP


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	132-0110	1	Pump, Water - Complete
	132-0111	1	Repair Kit (Includes Parts Marked *)
1		1	Body, Pump (Not Sold Separately)
2	132-0137	1	Cover, Pump
3	132-0114	1	*Impeller
4	132-0101	1	*Seal
5	132-0091	1	*Face, Wear
6	132-0092	1	*Seat, Seal
7	132-0112	1	*Gasket, Cover
8	132-0113	6	*Screw, Cover (Special)
9	132-0138	1	Screw, Cap (Special)
10	132-0139	1	Lockwasher (Special)
11	132-0140	1	Nut, Hex (Special)
12	132-0141	1	Plug, Drain
13	132-0142	1	Pedestal
14	132-0089	1	*Shaft and Bearing Assembly
15	132-0132	1	Ring, Snap

^{9,10,11,-}

^{* -} Parts included in the 132-0111 Repair Kit. 🔫

MISCELLANEOUS OPTIONS





REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	309-0237	1	Switch, Low Oil Pressure
2	309- 0259	1	Switch, High Temperature - Water
3	526-0016	2	Washer, Flat (17/64" ID x 9/16" OD x 1/32" Thk)
4	854-0014	2	Washer, Lock - IT (1/4")
5	812-0145	2	Screw, Machine - Round Head (1/4-20 x 5/16")
6	155-0916	2	Muffler, Exhaust
7	505-0086	2	Nipple, Exhaust
8	154-0998	1	Manifold, Exhaust
9	155-0906	1	Muffler, Exhaust
10	154-0973	1	Gasket, Exhaust Manifold
11	149-0136	1	Cover, Fuel Pump Hole
12	800-0028	4	Screw, Cap - Hex Head (5/16-18 x 1")
13	850-0045	4	Washer, Lock (5/16")

or Lora		ST FOR MODE NDARD PART			SPEC 927-0252	1A KEY NO.
		OUPS IN CATALO				HEN USED.
RT NO.	QTY.	DESCRIPTION	N	PART NO.	QTY.	DESCRIPTION
	•		: :	•	'	
ndard M	odel		·			
	·					
·						
·				• .		
					,	
					₹.	
			,			
		. •				
			·			
	*2					
,	,					
						1 1
Dated	11/2/82		Revised		Pag	e of

E2

	F	RTS LIST FOR MODEL RCCK-IOR STANDARD PARTS REFER TO NAL GROUPS IN CATALOG ARE LISTE	CATALOG_		3199A KEY NO EN USED.
PART NO.	QT'	Y. DESCRIPTION	PART NO.	QTY.	DESCRIPTION
15 AMP Flyv	Temp heel	e Cut Off erature Cut Off Alternator - Option 3 e - Option 8	•	•	
103-0480	1	Gearcase Assembly, Complete (Includes Parts Marked *)			
150-1422	1	*Arm and Shaft, Governor (See Catalog 927-0252 for Balance of Breakdown Parts)			
150-1073	1	Arm, Governor - Front Pull			
110-1478	1	Head, Cylinder - RH		,	
110-1479	1	Head, Cylinder - LH			
154-0951	1	Manifold, Intake			
505-0101 140-0645	1	Nipple, Close-Inlet Crossover (3/8 X 1")		•	
140-0043	Ţ	Adapter, Air Cleaner			

Dated_

E3

3213A

FOR STANDARD PARTS REFER TO CATALOG 927-0252 KEY NO. ____ OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	Q	QTY: DESCRIPTION		ON	PART NO.		QTY.	DESCRIPTION
Sold To:	THF	RMO KII	NG		150-1009	1	Stud	Governor Adjust
0014 101			.,,	Ĭ	150-0098	ī	-	ig, Governor
					502-0238	2		ector, Hose
110-2556	1	Rlack	k Assembly, Cyl	inder	142-0653	1		retor, Gasoline (Includes
110-2330	-		cludes Breather		142-0033	1		iting Gasket 141-0078)
		-						
			-0953)(See Cata		140 0060	1		cludes Parts Marked °)
			Parts Breakdow	n of Cylinden	142-0368	1		, Throttle
104 1000			ck Assembly)		142-0369	1		hrottle
104-1293	1		kshaft (Include	s Parts	148-0017	2		et (1-Float Valve Seat
			ked *)					ain Adjusting Needle)
515-0001	1		Crank Gear (#3		142-0606	1		et, Throttle Body to Bowl
515-0006	1	*Key,	Woodruff (7/8	x 1/4")	142-0032	1		et, Nozzle
515-0094	2	*Key,	Woodruff (#6)		142-0282	1	°Sprir	ng, Idle Needle
105-0140	1	Cams	haft (Includes	Center Pin)	142-0192	1		Choke
112-0170	2		on and Pin (Inc		142-0055	1		Choke
			aining Rings)		142-0361	1		and Lever Assembly
113-0089	2		Set, Piston		142-0039	ī		t, Float
114-0145	4		ing, Connecting	Rod	142-0040	ī	°Need]	le, Idle
110-1037	2		e, Intake	1 1100	142-0041	ī		le, Main Adjust
120-0439	1		Oil Pump Intak	a (Includes	142-0041	i		le Assembly, Adjust
120-0433	1				142-0206	_		ing, Main Adjusting Needle
100 0004	1		, Screen and Pi			1		le Assembly
102-0824	1		, Oil (8 Quart)		142-0285	1		
520-0119	4		, Oil Base	4 4 (0 1)	142-0588	1		Jet and Nozzle Retaining
104-0091	4		Hex-Oil Base S	tua (Special)	142-0045	1		iner, Main Adjust Needle
505-0247	2		, Oil Drain		4		Pack	
518-0321	1	•	y-a-Gasket (App	-	142-0046	1		iner, Main Adjusting Needle
		Sur	face in Contact	:withOil	142-0343	2		ing, Throttle Shaft
			e Gasket)		142-0459	1		e and Seat Assembly
103-0282	1	Gear	case Assembly (Includes	142-0589	1		ir Kit, Carburetor
		Par	ts Marked x)		142-0033	1	Gaske	et Kit, Carburetor
150-0620	1	xYoke	, Governor					
150-0377	1		and Shaft, Gove	rnor	•			
510-0008	1		ing, Needle (Se					
020 0000	_		-0252 for Balar					
			n Parts)					
510-0019	1		ing, Gear Cover	,				
509-0013	1		Seal, Front]				
149-0003	1		et, Fuel Pump N	lounting				
	1		•	-				
150-1577	1		ket, Governor S					
123-1348	1	•	and Indicator,	VII FIII				
123-1328	1		, Oil Fill					
123-0092	1		et, Oil Fill Tu					
122-0438	1		r, Oil Filter F	aa				
503-0761	1		, Breather					
503-0769	2		p, Breather Hos					
309-0064	1		ch, Low Oil Pre					
160-1205	1		ker Box Assemb					
		927	-0252 for Break	down of Parts)			
309-0296	1		ch, High Water					
			0ff					^
150-0678	1		, Sensitivity-(Governor				
	-	-,,,	,	İ				
Dated	1		11 -3-82	Revised			p	Page1 of1
- u.cu				ricvided .	A			-3

RCCK-MS 3236A SPECIAL PARTS LIST FOR MODEL **SPEC** 927-0252 KEY NO. FOR STANDARD PARTS REFER TO CATALOG OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED. PART NO. **DESCRIPTION** DESCRIPTION PART NO. QTY. Sold To: OAKS MFG COMPANY High Profile Breaker Box - Option 1 15 AMP Flywheel Alternator - Option 3 Variable Side Pull Governor - Option 7 Front Pull Choke - Option 8 Mounted Water Pump - Option 9 526-0214 2 Washer, Flat (17/64 ID X 1/2 OD X 1/16" THK) Nipple, Half (3/8 X 2 1/2") 505-0845 1 Governor Mounting Bracket 150-1725 1

10/27/82 Paying 1

Dated _____

1

SPEC ______

FOR STANDARD PARTS REFER TO CATALOG 927-0252 KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY. DESCRIPTION		PART NO.	QTY.		DESCRIPTION	
Sold To:	THE	RMO KI	NG	150-1009	1	Stud.	Governor
				150-0098	1	Sprin	g, Governor
				502-0238	2	Conne	ctor, Hose
110-2556	1	Block	k Assembly, Cylinder	142-0653	1	Carbu	retor, Gasoline (Includes
			cludes Breather Tube			Moun	ting Gasket 141-0078)
		123	-0953)(See Catalog 927-0252			(Inc	ludes Parts Marked °)
		for	Parts Breakdown of Cylinder	142-0368	1		, Throttle
		Blo	ck Assembly)	142-0369	1	°F ly, T	hrottle
104-1293	1	Cran	kshaft (Includes Parts	148-0017	2	°Gaske	t (1-Float Valve Seat
		Mar	ked *)			1-Ma	in Adjusting Needle)
515-0001	1	*Key,	Crank Gear (#3)	142-0606	1	°Gaske	t, Thottle Body to Bowl
515-0006	1	*Key,	Woodruff (7/8 x 1/4")	142-0032	1	°Gaske	t, Nozzle
515-0094	2	*Key,	Woodruff (#6)	142-0282	1		g, Idle Needle
105-0140	1	Cams	haft (Includes Center Pin)	142-0192	1	°Shaft	, Choke
112-0170	2	Pist	on and Pin (Includes	142-0055	1	°Fly,	
		Ret	aining Rings)	142-0361	1		and Lever Assembly
113-0089	2	Ring	Set, Piston	142-0039	1		, Float
114-0145	4	Bear	ing, Connecting Rod	142-0040	1		e, Idle
110-1037	2		e, Intake	142-0041	1		e, Main Adjust
120-0439	1		Oil Pump Intake (Includes	142-0042	1		e Assembly, Adjust
•		•	, Screen and Pipe)	142-0206	1		ng, Main Adjusting Needle
102-0824	1		, Oil	142-0285	1		e Assembly
520-0119	4		, Oil Base	142-0588	1		Jet and Nozzle Retaining
104-0091	4	_	<pre>Hex-Oil Base Stud (Special)</pre>	142-0045	1		ner, Main Adjust Needle
505-0247	2		, Oil Drain			Pack	
518-0321	1		y-a-Gasket (Apply to Metal	142-0046	1		ner, Main Adjusting Needle
			face in Contact with Oil	142-0343	2		ng, Throttle Shaft
	_		e Gasket)	142-0459	1		and Seat Assembly
103-0282	1		case Assembly (Includes	142-0589	1		r Kit, Carburetor
150 0500			ts Marked x)	142-0033	1	Gaske	et Kit, Carburetor
150-0620	. 1		, Governor				
150-0377	7		and Shaft, Governor				
510-0008	Ţ	xsear	ing, Needle (See Catalog				
			-0252 for Balance of Break-				
E10 0010	1		n Parts)	•			
510-0019	1		ing, Gear Cover				
509-0013	1 1		Seal, Front et, Fuel Pump Mounting				
149-0003	1 1		ket, Governor Spring				
150-1577 123-1348	1		and Indicator, Oil Fill				
123-1348	1 1		, Oil Fill			1	
123-1326	1		et, Oil Fill Tube				• ,
123-0092	1		r, Oil Filter Pad				* N
503-0761	1		Breather				
503-0769	2		p, Breather Hose				1
309-0064	1		ch, Low Oil Pressure				
160-1205	1		ker Box Assembly (See Catalo	a			
100-1203	_		-0252 for Breakdown of Parts				
150-0678	1		Sensitivity-Governor	(•
100-00/0		Опр	, Januara 1110, Garatina				

RCCK-MS SPECIAL PARTS LIST FOR MODEL

SPEC 3387A

FOR STANDARD PARTS REFER TO CATALOG 927-0252

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

DESCRIPTION PART NO. QTY. **DESCRIPTION** PART NO. QTY. 20 Amp Flywheel Alternator-Option 2 Air Cleaner-Option 5 Front Pull Choke Adapter-Option 8 110-2728 Block Assembly, Cylinder (Includes Parts Marked *) 110-1000 *Insert, Intake Valve *Tube, Breather (Note: For Balance 123-0953 of Cylinder Block Breakdown See Catalog 927-0252 Parts Marked *) 110-1037 Valve, Intake Clip, Support (1-Lower Left 167-0188 2 Gearcase 1-0il Fill Tube) 505-0618 1 Cap, Pipe (1 1/2" Dia.)

Page _____1 of_

SPECIA	AL PARTS L	IST FOR MODELRCCK	-MF'	SPEC _	3396 A
		ANDARD PARTS REFER ROUPS IN CATALOG ARE LIS			KEY NO.
PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
					The state of the s
15 AMP Flyw Clutch - Op	wheel Alterr otion 4	nator - Option 3			
104-0913	Orderi Must (shaft (NOTE: When ing As A Replacement, Order Key - P/N OOl Also)			
	·				
		•			
	er Let				
	•				
	11/1/82				1 1

FR

Page of

Revised ...

Dated_

SPECIAL PARTS LIST FOR MODEL ____RCCK-MS

_____ SPEC ______3429A

FOR STANDARD PARTS REFER TO **CATALOG** 927-0252 **KEY NO.** OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	(QTY.	DESCRIPTION	1	PART NO.	QTY.	DESCRI	PTION	
110-2386	1		Assembly, Cylind udes Parts Marked						
110-1000	2	Catal of Br	Intake Valve (Se log 927-0252 for reakdown Parts Cy Assembly Parts	Balance linder				·	
110-1037	2	Valve,	, Intake	•					
110-0880	2	vaive,	, Exhaust					*	

Page 1 of 1

SPECIA		IST FOR MODE			SPEC	3449A KEY NO	<u> </u>
		TANDARD PART BROUPS IN CATAL					J
ART NO.	QTY.	DESCRIPTIO	N	PART NO.	QTY.	DESCRIP	TION
riable Sp (Side P	eed Govern	nator-Option 2 or Control n 7 ter-Option 8		•	l		
7-0188	2 Clip, Oil F	Cable-Gearcase I ill Tube	Left and				
	٠						
•							
	•						
				,			
						*	
		,					
<u> </u>							,
			:				
*,						,	
Dated	11	/1/82	Revised	10	Pa	ıge1	of1

SPECIAL PARTS LIST FOR MODEL _____RCCK-MS ____ SPEC _

3510A

FOR STANDARD PARTS REFER TO CATALOG 927-0252 KEY NO. _

OPTIONAL O	ROUPS IN CATALOG ARE L	ISTED BY GROUP N	O. BELOW	WHEN USED.
QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTI
 	_		· · · · · · · · · · · · · · · · · · ·	

Sold To: THERMO KING	PART NO.	Q	TY.	DESCRIPTION	PART NO.	C	TY.	DESCRIPTION
10-2556 1 Block Assembly, Cylinder (Includes Breather Tube 123-0953)(See Catalog 927-0252 for Parts Breakdown of Cylinder Block Assy) 104-1293 1 Crankshaft (Includes Parts Marked *) 155-0001 1 *Key, Crank Gear (#3) 150-0096 1 5Uud, Governor 150-1577 1 Bracket, Governor 150-1616 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-0098 1 150-01616 1 1 1 1 1 1 1 1 1	Sold To:	THE	RMO	KING			Breaker	r Box Assembly (See Cata)
104-1293	110-2556	1	(1 f	Includes Breather Tube 23-0953)(See Catalog 927-0252 or Parts Breakdown of Cylinder			Carbure Note: replac gaske	etor, Propane When ordering as a cement, order mounting t 141-0281 also.
**Section	104-1293	1	Cr	rankshaft (Includes Parts	150-0096	1	Stud, (Governor
155-006	515-0001	1			150-1577	1	Bracke	t, Governor Spring
105-0140	515-0006	1	*Ke	ey, Woodruff (7/8 x 1/4")	•			
112-0170 2	515-0094	2	*Ke	ey, Woodruff (#6)				
112-0170 2	105-0140	1	Ca	amshaft (Includes Center Pin)				
114-0145		2	Ρi	iston & Pin (Includes Retain-				
114-0145	113-0089	2	Ri	ing Set, Piston				•
110-1037 2	114-0145							
110-0893								
12C-0439 1								
Cup, Screen & Pipe) 102-0824								
102-0824	120-0433	_						
520-0119	102024	1						
104-0091		_						
Surface in Contact with Oil Base Gasket) 103-0395					J			-
Spray-a-Gasket (Apply to Metal Surface in Contact with Oil Base Gasket) 103-0395 Gearcase Assembly, Complete (Includes Parts Marked x)					1			-
Surface in Contact with Oil Base Gasket) 103-0395								
(Includes Parts Marked x) 150-1315		1	9	Surface in Contact with Oil Ba Gasket)	se			
150-1315	103-0395	1						
509-0105	150_1315	1						
509-0126		_						
1 xBearing, Needle (See Catalog 927-0252 for Balance of Break- down Parts) 510-0019								
927-0252 for Balance of Break- down Parts) 510-0019		_						
510-0019 1 Bearing, Ball-Gear Cover 509-0013 1 Oil Seal, Front 110-1481 2 Gasket, Cylinder Head 110-2543 1 Head, Cylinder-R.H. 110-2348 1 Head, Cylinder-L.H. 123-1348 1 Cap and Indicator, Oil Fill 123-0092 1 Gasket, Oil Fill Tube 122-0438 1 Cover, Oil Filter Pad 503-0761 1 Hose, Breather	510-0008	•	g	927-0252 for Balance of Break-				
509-0013	510-0019	1		· · · · · · · · · · · · · · · · · ·		•		
110-1481 2 Gasket, Cylinder Head 110-2543 1 Head, Cylinder-R.H. 110-2348 1 Head, Cylinder-L.H. 123-1348 1 Cap and Indicator, Oil Fill 123-1328 1 Tube, Oil Fill 123-0092 1 Gasket, Oil Fill Tube 122-0438 1 Cover, Oil Filter Pad 503-0761 1 Hose, Breather								
110-2543								
110-2348 1 Head, Cylinder-L.H. 123-1348 1 Cap and Indicator, Oil Fill 123-1328 1 Tube, Oil Fill 123-0092 1 Gasket, Oil Fill Tube 122-0438 1 Cover, Oil Filter Pad 503-0761 1 Hose, Breather		1						
123-1348 1 Cap and Indicator, Oil Fill 123-1328 1 Tube, Oil Fill 123-0092 1 Gasket, Oil Fill Tube 122-0438 1 Cover, Oil Filter Pad 503-0761 1 Hose, Breather		1						
123-1328 1 Tube, Oil Fill 123-0092 1 Gasket, Oil Fill Tube 122-0438 1 Cover, Oil Filter Pad 503-0761 1 Hose, Breather		1						
123-0092 1 Gasket, Oil Fill Tube 122-0438 1 Cover, Oil Filter Pad 503-0761 1 Hose, Breather		1						
122-0438 1 Cover, Oil Filter Pad 503-0761 1 Hose, Breather								
503-0761 1 Hose, Breather								
EO2 0760 2 Clama Broathan Hosa								
503-0769 2 Clamp, Breather Hose	503-0/69	۷	()	iamp, preather nose				

Revised

Page_____1 of_____1

SPECIAL PARTS LIST FOR MODEL

RCCK -MS

3611A

FOR STANDARD PARTS REFER TO CATALOG 927-0252

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY	7. DESCRIPTION	PART NO.	Q	TY. DESCRIPTION
		•			1
Sold To:	Thermo	o King			•
110-2556	1	Block Assembly, Cylinder	503-0769	2	Clamp, Breather Hose
110 2000	•	(Includes Breather Tube	309-0064	1	Switch, Low Oil Pressure
		123-0953) (See Catalog	160-1205	1	Breaker Box Assembly (See
		927-0252 for Parts	İ		Catalog 927-0252 For Breakdown
		Breakdown of Cylinder Block	150 0670	1	of Parts)
		Assembly)	150-0678	1	Clip, Sensitivity - Governor
104-1293	1	Crankshaft (Includes Parts	518-0006 150-0630	1	Clip, Rod End Governor Linkage
		Marked *)	154-0356	1	Manifold, Intake
515-0001	1	*Key, Crankgear (#3)	150-1009	i	Stud, Governor
515-0006	1	*Key, Woodruff (7/8 X 1/4")	150-1003	ī	Spring, Governor
515-0094	2	*Key, Woodruff (#6)	502-0238	2	Connector, Hose
105-0140	1	Camshaft (Includes Center Pin)	503-0833	ī	Hose, Outlet Crossover
112-0170	2	Piston and Pin (Includes	142-0653	ī	Carburetor, Gasoline (Includes
112 0000	2	Retaining Rings)			Mounting Gasket 141-0078)
113-0089	2	Ring Set, Piston			(Includes Parts Marked °)
114-0145	4	Bearing, Connecting Rod Valve, Intake	142-0368	1	°Shaft, Throttle
110-1037 120-0439	2 1	Cup, Oil Pump Intake (Includes	142-0369	1	°Fly, Throttle
120-0433	1	Cup, Screen & Pipe)	148-0017	2	°Gasket (1-Float Valve Seat
102-0824	1	Base, Oil		_	1-Main Adjusting Needle)
520-0119	4	Stud, Oil Base	142-0606	1	*Gasket, Throttle Body to Bowl
104-0091	4	Nut, Hex-Oil Base Stud	142-0032	1	°Gasket, Nozzle
	•	(Special)	142-0282	1	°Spring, Idle Needle
505-0247	2	Plug, Oil Drain	142-0192	1	°Shaft, Choke
518-0321	1	Spray-A-Gasket (Apply to Metal	142-0055	1	°Fly, Choke
		Surface In Contact With	142-0361 142-0039	1 1	°Float and Lever Assembly °Shaft, Float
		Oil-Base Gasket)	142-0040	i	Needle, Idle
103 - 03 9 5	1	Gearcase Assembly, Complete	142-0041	i	°Needle, Main Adjust
		(Includes Parts Marked X)	142-0042	ī	*Needle Assembly, Adjust
150-1315	1	X Arm and Shaft, Governor	142-0206	ī	Packing, Main Adjusting Need
509-0105	1	X Seal, Oil (2" OD) Single Lip	142-0285	1	Nozzle Assembly
509-0126	1	X Seal, Oil (2.004" OD)	142-0588	1	Nut, Jet and Nozzle Retaining
510-0008	1	X Bearing, Needle (See Catalog 927-0252 for Balance of	142-0045	1	<pre>*Retainer, Main Adjust Needle Packing</pre>
E10 0010	1	Breakdown Parts)	142-0046	1	°Retainer, Main Adjusting
510-0019 509-0013	. 1	Bearing, Ball-Gear Cover Oil Seal, Front			Need le
150-1577	i	Bracket, Governor Spring	142-0343	2	°Bushing, Throttle Shaft
110-2767	i	Head, Cylinder - RH	142-0459	1	<pre>°Valve and Seat Assembly</pre>
110-2768	1	Head, Cylinder - LH	142-0589	1	Repair Kit, Carburetor
123-1348	ī	Cap and Indicator, Oil Fill	142-0033	1	Gasket Kit, Carburetor
123-1328	ī	Tube, Oil Fill			•
123-0092	$\bar{1}$	Gasket, Oil Fill Tube			•
122-0438	1	Cover, Oil Filter Pad			
503-0761	1	Hose, Breather			
			1		

11/4/82

Dated ___

1 . 1

Revised

SPECIA	AL PA	RTS LIST FOR MODEL	RCCK -MS	SPEC	3619A	
		OR STANDARD PARTS RI	EFER TO CATALOG		KEY NO	
		ONAL GROUPS IN CATALOG A			IEN USED.	
PART NO.	QT	Y. DESCRIPTION	PART NO.	QTY.	DESCRIPTION	
				T		
20 AMP Fly Air Cleane Variable S Front Pull	Temp wheel r - O Speed Chok	erature Cut Off Alternator - Option 2	ull - Option 7		1	
503-0685	2	Clamp, Hose (7/32 to 5/8	")			
503-0325	1	Hose, Water Pump (7/16 ID X 10")				
502-0075	2	Elbow, Street - 90°				

SPEC 3627A

FOR STANDARD PARTS REFER TO CATALOG 927-0252

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.		QTY.	DESCRIPTION	PART N	١٥.	QTY.	DESCRIPTION
Sold To:	The	rmo King	<u> </u>	503-0770	1	Clamp, B	reather Hose
			•	503-0857	1	Hose, Br	
110-2556	1	Block	Assembly, Cylinder	309-0064	1	-	Low Oil Pressure
			udes Breather Tube	160-1205	1	-	Box Assembly (See
			953)(See Catalog 927-0252				927-0252 for Breakdown
			arts Breakdown of Cylinder			of Part	
			Assembly)	148-0798	1		or, Propane
104-1293	1		haft (Includes Parts			Note: W	hen ordering as a
		Marke					ment, order mounting
515-0001	1	*Key, C	Frank Gear (#3)			gasket	141-0281 also.
515-0006	1		Joodruff (7/8 x 1/4")	145-0398	1	Adaptor,	Carburetor Inlet
515-0094	2		loodruff (#6)	150-0678	1	Clip, Se	ensitivity-Governor
105-0140	1	Camsha	ift (Includes Center Pin)	150-1616	1	Rod, Gov	rernor
112-0170	2	Pistor	and Pin (Includes	150-1577	1	Bracket,	Governor Spring
		Retai	ning Rings)	150-1009	1	Stud, Go	overnor
113-0089	2	Ring S	Set, Piston	150-0098	1	Spring,	Governor
114-0145	4	Bearin	ng, Connecting Rod	502-0238	2	Connecto	or, Hose
110-1037	2	Valve,	Intake	503-0833	1	Hose, Ou	ıtlet Crossover
110-0880	2	Valve,	Exhaust			(5/8" I	D x 24")
110-0893	4	Retair	ner, Valve Spring				
120-0439	1		il Pump Intake (Includes				
			Screen & Pipe)				
102-0824	1		Oil (8 Quart)				
520-0119	4	-	Oil Base	İ		•	
104-0091	4	Nut, H	Hex-Oil Base Stud (Special)				-
505-0247	2		Oil Drain				
518-0321	1	Spray-	-a-Gasket (Apply to Metal				
		Surfa	ace in Contact with Oil				
		Base	Gasket)				
103-0282	1	Gearca	ise Assembly, Complete				
		(Incl	ludes Parts Marked x)				
150-0620	1	xYoke,	Governor				•
150-0377	1	xArm ar	nd Shaft, Governor		•		
510-0008	1		ng, Needle (See Catalog				
		927-0)252 for Balance of Break-				
		down	Parts)				
510-0019	1	Bearin	ng, Gear Cover				
·· 509-0013	1	Oil Se	eal, Front				
110-2767	1	Head,	Cylinder (R.H.)				
110-2768	1	-	Cylinder (L.H.)				
123-1348	1		nd Indicator, Oil Fill				·
123-1328	1		Oil Fill				
123-0092	1		, Oil Fill Tube				
122-0438	1	Cover	, Oil Filter Pad				
				1			

11/4/82

Revised

Page___

of___

SPECIAL PARTS LIST FOR MODEL FOR STANDARD PARTS REFE OPTIONAL GROUPS IN CATALOG ARE						3642A KEY NO HEN USED.	_
PART NO.	QT	Y. DESCRIPTION		PART NO.	QTY.	DESCRIPTION	
20 AMP Fly Air Cleane Variable S Front Pull	Temp wheel r - O peed Chok	erature Cut Off Alternator - Option 2	n 7				
503-0685 503-0325	2 1	Clamp, Hose (7/32 to 5/8 Hose, Water Pump (7/16 ID X 10")	3")				
502-0075	2	Elbow, Street - 90°					
		4					

3723A

FOR STANDARD PARTS REFER TO CATALOG 927-0252

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.		QTY. DESCRIPTION	PART NO).	QTY. DESCRIPTION
110-2556	1	Block Assembly, Cylinder (Includes Breather Tube 123-0953)(See Catalog 927-0252	142-0653	1	Carburetor, Gasoline (Includes Mounting Gasket 141-0078) (Includes Parts Marked °)
		for Parts Breakdown of Cylinder	142-0368	1	°Shaft, Throttle
		Block Assembly).	142-0369	ī	°Fly, Throttle
104-1293	1	Crankshaft (Includes Parts Marked *)	148-0017	2	°Gasket (1-Float Valve Seat 1-Main Adjusting Needle)
515-0001	1	'*Key, Crank Gear (#3)	142-0606	1	<pre>Gasket, Throttle Body to Bowl</pre>
515-0006	1	*Key, Woodruff (7/8 x 1/4")	142-0032	1	°Gasket, Nozzle
515-0094	2	*Key, Woodruff (#6)	142-0282	1	°Spring, Idle Needle
105-0140	1	Camshaft (Includes Center Pin)	142-0192	1	°Shaft, Choke
120-0839	1	Pump Assembly, Oil	142-0055	1	°Fly, Choke
112-0170	2	Piston and Pin (Includes	142-0361	1	°Float and Lever Assembly
		Retaining Rings)	142-0039	1	°Shaft, Float
113-0089	2	Ring Set, Piston	142-0040	1	°Needle, Idle
114-0145	4	Bearing, Connecting Rod	142-0041	1	°Needle, Main Adjust
110-1037	2	Valve, Intake	142-0042	1	Needle Assembly, Adjust
110-0880	2	Valve, Exhaust	142-0206	1	Packing, Main Adjusting Needle
120-0439	1	Cup, Oil Pump Intake (Includes	142-0285	1	<pre>Nozzle Assembly</pre>
	_	Cup, Screen & Pipe)	142-0588	1	Nut, Jet and Nozzle Retaining
102-0824	1	Base, Oil	142-0045	1	Retainer, Main Adjust Needle
520-0119	4	Stud, Oil Base			Packing
104-0091	4	Nut, Hex-Oil Base Stud (Special)	142-0046	1	*Retainer, Main Adjusting Needle
505-0247	2	Plug, Oil Drain	142-0343	2	Bushing, Throttle Shaft
518-0321	1	Spray-A-Gasket (Apply to Metal	142-0459	1	°Valve and Seat Assembly
		Surface in Contact with Oil	142-0589	1	Repair Kit, Carburetor
100 0000	4	Base Gasket)	142-0033	1	Gasket Kit, Carburetor
103-0282	1	Gear Case Assembly, Complete	150-1009	1	Stud, Governor Adjust
150 0600	1	(Includes parts Marked x)	150-0098	1	Spring, Governor
150-0620	1	xYoke, Governor	502-0238	2	Connector, Hose
150-0377	1	xArm and Shaft, Governor	503-0833	1	Hose, Outlet Crossover
510-0008	1	xBearing, Needle (See Catalog 927-0252 for Balance of Break- down Parts)			(5/8" ID x 24")
510-0019	1	Bearing, Gear Cover			
509-0013	1	Oil Seal, Front			
150-1577	1	Bracket, Governor Spring			
110-2767	1	Head, Cylinder (R.H.)			
110-2768	ī	Head, Cylinder (L.H.)			
123-1348	ī	Cap and Indicator, Oil Fill			
123-1348	ī	Tube, Oil Fill			
123-1323	ī	Gasket, Oil Fill Tube			
122-0438	ī	Cover, Oil Filter Pad			
503-0761	ī	Hose, Breather Cap			
503-0769	2	Clamp, Breather Hose			
309-0064	1	Switch, Low Oil Pressure			
160-1205	ī	Breaker Box Assembly (See Catalog 927-0252 for Break-			
		down of Parts)	ŀ		
150-0678	1	Clip, Sensitivity-Governor			

_____ SPEC _

FOR STANDARD PARTS REFER TO CATALOG 927-0252

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.		QTY.	DESCRIPTION	PART NO).	QTY.	DESCRIPTION
110-2556	1		Assembly, Cylinder	503-0833	1	Hose, O	utlet Crossover
			ludes Breather Tube				ID x 24")
			0953) (See Catalog	148-0798	1		tor, Propane
			0252 for Parts Breakdown				When ordering as a
104 1000	1		ylinder Block Assembly)				ement, order mounting
104-1293	1		shaft (Includes Parts	145 0200	-		141-0281 also.
515-0001	1		ed *)	145-0398	1		, Carburetor Air Inlet
515-0001	1		rank Gear (#3) Woodruff (7/8 x 1/4")	502-0238 150-1577	2		or, Hose
515-0094	2		Woodruff (#6)	150-1577	1		, Governor Spring
105-0140	1		aft (Includes Center Pin)	150-1009	1	Stud, G	Governor
120-0839	i	Pump,		150-0678	1		ensitivity-Governor
112-0170	2		on and Pin (Includes Retain-	150-1616	1	Rod, Go	
	_		Rings)	100 1010	-	Rou, uo	VC1 1101
113-0089	2		Set, Piston				
114-0145	4		ng, Connecting Rod	,			
110-1037	2		, Íntake				
110-0880	2		, Exhaust				
110-0893	4	Retai	ner, Valve Spring				1
120-0439	1	Cup,	Oil Pump Intake (Includes				
			Screen & Pipe)				
102-0824	1	Base,					
520-0119	4	-	Oil Base				
104-0091	4		Hex-Oil Base Stud (Special)				
505-0247	2		Oil Drain				
518-0321	1		y-a-Gasket (Apply to Metal				
			ace in Contact with Oil				
103-0282	1		Gasket)				
103-0202	1		ase Assembly, Complete ludes Parts Marked x)				
150-0620	2	-	Governor				
150-0377	1		and Shaft, Governor				
510-0008	ī		ng, Needle (See Catalog				
	_		0252 for Balance of Break-				
			Parts)				
510-0019	1		ng, Gear Cover				
509-0013	1		eal, Front				
149-0003	1		t, Fuel Pump				
110-2767	1		Cylinder (R.H.)				
110-2768	1		Cylinder (L.H.)				
123-1348	1		nd Indicator, Oil Fill				
123-1328	1		Oil Fill				
123-0092	1		t, Oil Fill Tube				
122-0438	1		, Oil Filter, Pad				
503-0770	1		, Breather Hose				
503-0857	1 1		Breather				
309-0064 160-1205	1		h, Low Oil Pressure er Box Assembly (See				
100-1503	Ŧ		log 927-0252 for Breakdown				
			arts)				
		UI F	ui v3/				
							•

SPECIA	L PARTS L	IST FOR MODEL	RCCK -M	IS	SPEC _	3743A	
	FOR ST	ANDARD PARTS F		_		KEY NO.	
		ROUPS IN CATALOG	ARE LISTE	BY GROUP N		IEN USED.	
PART NO.	QTY.	DESCRIPTION		PART NO.	QTY.	DESCRIPTIO	N .
Variable Sp	eed Goverr Choke Adap	rnator - Option 3 for Control - Option oter - Option 8 5	n 7				
104-1321		(shaft (Includes Pa	rts				1
515-0001 515-0098 150-1725	1 * Key,	ed ') , Woodruff , Flywheel Mounting set, Governor Mount	ing				
		ŕ					
				•			
				,			
Dated.	10/28/	/82 Rev	/ised .		Page	1 of	1

F5

PART NO.	QTY. DESCRIPTION	PART NO.	QTY.	DESCRIPTION
	emperature Cut Off			
20 AMP Flywhe /ariable Spee	eel Alternator - Option 2 ed Governor Control - Option 7			
505-0618 1 140-1074 1				
140-1061 1 140-1066 1 140-1067 1	*Cover, Air Cleaner - Inlet*Cover, Air Cleaner - Outlet			
140-1071 1 140-1073 1 140-1075 1	*Element, Air Cleaner*Clamp Assembly, Air Cleaner			
503-0311 1 150-1725 1 150-1538 1	. *Clamp, Hose . Bracket, Governor Mounting			
,				
	,			
	, ·			
Dated	11/2/82 Revised		Page	1 1 of
54104	11011000	F6	raye	

SPECIAL PARTS LIST FOR MODEL RCCK-MS SPEC 3779A

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

FOR STANDARD PARTS REFER TO CATALOG 927-0252 KEY NO. _____

	OPTIC	NAL GROUPS IN CATALOG	ARE LISTED BY GROUP	NO. BELOW WH	IEN USED.
ART NO.	QT	Y. DESCRIPTION	PART NO	O. QTY.	DESCRIPTION
igh Water 5 AMP Fly ariable S ront Pull	Temp wheel Speed Chok	e Cut Off erature Cut Off Alternator - Option 3 Governor Control - Optio e Adapter - Option 8 ump - Option 9	on 7		
10-2556	1	Block Assembly, Cylinder (Includes Breather Tuber 123-0953) (See Catalog 927-0252 for Parts Breakdown of Cylinder	e 3		
10-0015 10-1037	10 2 1	Assembly) Ball, Fly-Governor Valve, Intake Hose, Breather (7/16 X 9/16 X 10")			

PART NO.

QTY.

PART NO.

QTY.

3881A

DESCRIPTION

FOR STANDARD PARTS REFER TO CATALOG __

DESCRIPTION

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

<u> </u>	42.1	. DESCRIPTION	PART NO.	QTI.	DESCRIPTION
Low Oil Pr	essur	e Cut Off			
High Water	Temp	perature Cut Off			
15 AMP Fly	whee I	Alternator - Option 3			
EOE 0101	1	Nimala Class Inlat Cusassum			
505-0101	1	Nipple, Close-Inlet Crossover	,		
110-0893	4	(3/8 X 1") Retainer, Valve Spring (Washer)			
103-0480	1	Gear Case Assembly, Complete			
103-0400	1	(Includes Parts Marked *)			
150-1422	1	*Arm and Shaft, Governor			
100 1122	-	(See Catalog 927-0252 for			
		Balance of Breakdown Parts)			
110-1478	1	Head, Cylinder - RH			
110-1479	1	Head, Cylinder - LH			
150-1073	1	Arm, Governor - Front Pull			
154-0951	1	Manifold, Intake			
141-0890	1	Carburetor - Gas (Includes		•,	
		Mounting Gasket 141-0281)			
	_	(Includes Parts Marked X)			
141-0733	1	X Spring, Main Gas Needle			
141-0734	1	X Needle, Main Gas Adjusting			
141-0736	1	X Nut, Bowl			
141-0737 141-0738	1	X Plug, Pipe (1/8")			
141-0739	1 1	X Screw (Special) X Washer (Special)			
141-0708	1	X Bowl, Fuel			
141-0698	2	X Screw and Washer - Choke and			
	_	Throttle Plate Mounting			
141-0706	1	X Plate, Throttle			
141-0705	1	X Retainer, Seal			
141-0661	1	X Seal, Rubber			
141-0701	1	X Gasket, Bowl to Body			
141-0700	1	X Screw, Throttle Stop			
4.444	_	(Special)			
141-0711	1	X Spring, Throttle Stop	•		
141-0713	1	X Needle, Idle Adjust		•	
141-0710	Ţ	X Spring, Idle Needle			
141-0077 141-0709	1	X Washer, Main Jet Assembly			
141-0709 141-0747	1	X Shaft and Lever, Throttle Repair Kit, Carburetor			
141-0747	1	Gasket Kit, Carburetor			
141-0/40	Ţ	dasket kit, Carburetor	·		

1

10/28/82

Dated_

Revised .

SPECIA	AL PA	ARTS LIST FOR MODEL	RCCK -MS		SPEC	3979A	
		OR STANDARD PARTS				KEY NO	
		ONAL GROUPS IN CATALOG	ARE LISTED B	Y GROUP N	O. BELOW WH	EN USED.	
PART NO.	QT	Y. DESCRIPTION		PART NO.	QTY.	DESCRIPTION	
Sold To: Low Oil Pro	essure						
	wheel	erature Cut Off Alternator - Option 2					
Variable S	peed (Governor Control - Option Jump - Option 9	7				
167-0188	2	Clip, Support (Low Left					
153-0514	1	Gearcase and Oil Fill Tu Clamp, Choke Cable	ibe)				
153-0548	1	Bracket, Choke - Manual Pull)	(Front				
150-1538	1	Bracket, Governor					
150-1725	1	Bracket, Governor Mounti	ing				
518-0176	1	Clip, Cable					
154-2092	1	Manifold, Exhaust - Water					
502-0080	1	Plug, Pipe - Hex Head (1 Water Cooled Manifold	1/8")				
502-0297	2	Bushing, Reducer - Water	Cooled				
	_	Manifold (3/8 X 1/2")					
505-0054	1	Plug, Square Head - Water	er Cooled	ē			
503-0638	1	Manifold (1/4") Hose, Water Cooled Manif (1/2 X 4 3/4")	old .				
503-0468	1	Hose - Inlet Crossover					
503-0325	1	Hose, Inlet (7/16 ID X 1	.0")	ŕ			
515-0249	1	Key, Pulley - Water Pump (3/16 X 3/16 X 1")					
J32-1356	1	Clamp, Loop (RH Low Gear	case)				

FOR STANDARD PARTS REFER TO CATALOG 927-0252 KEY NO. ____

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.		QTY.	DESCRIPTION	PART NO) .	QTY.	DESCRIPTION
		1	0.55				_
Low Oil P				141-0706	1		e, Throttle
High Wate				141-0705	1		ner, Seal
	•		nator-Option 3	141-0661	1	-	Rubber
			ter-Option 8	141-0830	1		e Seat Assembly, Fuel
Mounted W	ater	Pump-Op	tion 9	141-0811	1		er, Fuel Valve Seat
				141-0703	1		, Float
110-2728	1		Assembly, Cylinder	141-0702	1		Assembly
			udes Parts Marked *)	141-0701	1		et, Bowl to Body
110-1000	2		, Intake Valve	141-0700	1	°Screw	v, Throttle Stop
123-0953	1	*Tube,	Breather (Note: For	141-0711	1	°Sprin	ng, Throttle Stop
		Balan	ce of Cylinder Block Break-	141-0713	2	°Need1	le, Idle Adjusting
		down	See Catalog 927-0252 Parts	141-0710	2	°Sprin	ng, Idle Needle
		Marke	d *)	141-0077	1	°Washe	er, Main Jet Assembly
104-1323	1	Cranks	haft (Includes Parts	141-0712	1	°Jet A	Assembly, Main (Adjustable)
		Marke	d x)	141-0742	1		Choke
515-0001	1	xKey, W	oodruff	141-0699	1	°Washe	er
515-0098	1	xKey, F	lywheel Mounting	141-0697	1	°Seal,	, Felt
510-0015	10	Ball,	Governor	141-0203	1		ner, Felt Seal
110-1037	2	Valve,	Intake	141-0709	1		and Lever, Throttle
110-0893	4	Retain	er, Valve Spring (Washer)	141-0733	1		ng, Main Gas Needle
120-0759	1		il Pump Intake (Includes	141-0734	1	-	le, Main Gas Adjusting
			Screen & Pipe)	141-0799	1		ng, Float
102-0949	1		Oil-Side Fill (8 quarts)	141-0747	1	-	Carburetor Repair
503-0694	1	-	Fuel Pump Inlet	141-0748	1	-	Carburetor Gasket
			ID x 7")			•	
123-1356	1		d Indicator, Oil Fill				
123-0255	1		Oil Fill				
309-0113	1	•	, Oil Pressure				
332-1356	1		Loop (Low R.H. Gear Case)				
503-0468	1		Inlet Crossover				
		-	ID x 13 1/2" Long)				
190-0258	1		Assembly, Power Take Off				
190-0591	1		, Drive-Clutch				
190-0592	1	-	g, Clutch				
503-0325	1		Inlet-Water Pump				
J 0 3 0 2 2 3	_		"ID x 10")				
515-0249	1		/16 x 3/16 x 1")				
141-0887	, <u>1</u>	_	etor, Gas-Gasoline Manual				
141 0007	•		(Includes Mounting Gasket)				
			udes Parts Marked°)				
141-0281	1	•	, Carburetor Flange				
141-0201	1	°Bow1,					
141-0708	1	°Plate,					
141-0741 141-0698	4	-	and Washer, Choke and				
141-0030	4		tle Plate Mounting				
		IIIIOL	cre trace mountring				
'							

Dated 10-29-82

Revised _